$\int_{\mathbb{R}^2}$

	Application No.	Applicant(s)	
Notice of Allowability	10/578,332	KAJAN ET AL.	
	Examiner	Art Unit	
	Ramon M. Barrera	2832	
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject t	plication. If not includ n will be mailed in due	ed course. THIS
1. This communication is responsive to			
2. The allowed claim(s) is/are <u>1-8</u> .			
 Acknowledgment is made of a claim for foreign priority unally All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 	been received. been received in Application No cuments have been received in this of this communication to file a reply	national stage applica	
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			NOTICE OF
5. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date ldentifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the DEPOSIT OF and/or INFORMATION about the deposition of the sheet of the	son's Patent Drawing Review (PTO) s Amendment / Comment or in the C 84(c)) should be written on the drawithe header according to 37 CFR 1.121(sit of BIOLOGICAL MATERIAL (Office action of ngs in the front (not the d). must be submitted.	
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF BIOLOGIC	AL WATERIAL.	
 Attachment(s) Notice of References Cited (PTO-892) □ Notice of Draftperson's Patent Drawing Review (PTO-948) ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 5/4/06 □ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	 5. ☐ Notice of Informal F 6. ☐ Interview Summary Paper No./Mail Da 7. ☒ Examiner's Amenda 8. ☒ Examiner's Statema 9. ☐ Other 	(PTO-413), te ment/Comment	owance

Application/Control Number: 10/578,332

Art Unit: 2832

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview on behalf of Michael Mutter.

The application has been amended as follows:

In claim 4, on line 1, after "Claims", --1 or 2—has been inserted.

In claim 5, on line 1, after "Claims", --1 or 2—has been inserted.

In claim 6, on line 1, "any of the above Claims", has been changed to --Claim 3--.

In claim 7, on line 1, after "Claims", --1 or 2—has been inserted.

In claim 8, on line 1, after "Claims", --1 or 2—has been inserted.

2. The following is an examiner's statement of reasons for allowance: Vacon Oyj, the closest prior art of record, failed to disclose or reasonably suggest a second shaft (7) connected to the first shaft (6) with the aid of a tolerance (15), in order to control the charging switch component (2).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ramon M. Barrera whose telephone number is (571) 272-1987. The examiner can normally be reached on Monday through Friday from 11 to 5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Elvin G. Enad can be reached on (571) 272-1990. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ramon M Banera Ramon M Barrera Primary Examiner Art Unit 2832 Page 3